Nuclear Engineering and Design 101 (1987) 379–380
North-Holland, Amsterdam

AUTHOR INDEX TO VOLUME 101

Ayyaswamy, P.S., see Huang 101 (1987) 137

Bazant, Z.P., see Chern 101 (1987) 107
Betten, P.R., see Messick 101 (1987) 13
Betten, P.R., see Lahm 101 (1987) 25
Betten, P.R., see Mohr 101 (1987) 45
Betten, P.R., see Feldman 101 (1987) 57
Bisanz, R., see Unger 101 (1987) 323
Booty, W.F., see Messick 101 (1987) 13
Bottcher, J.H., see Lahm 101 (1987) 25
Bull, A.J., A probabilistic analysis of PWR and BWR fuel rod performance using the code CASINO-SLEUTH 101 (1987) 213

Cady, K.B. and R.J. Miller, An application of response theory to steam venting during a loss of AC power transient 101 (1987) 175
Chang, L.K., see Lehto 101 (1987) 35
Chang, L.K., see Mohr 101 (1987) 45
Chang, L.K., see Feldman 101 (1987) 57
Chang, L.K., J.F. Koenig and D.L. Porter, Whole-core damage analysis of EBR-II driver fuel elements following SHRT program 101 (1987) 67
Chern, J.C., A.H. Marchertas, Z.P. Bazant and F.B. Lin, Damage–plastic loading surface model for concrete 101 (1987) 107
Christensen, L.J., see Messick 101 (1987) 13

De Vore, C.V., see Peddicord 101 (1987) 199
Dean, E.M., see Letho 101 (1987) 35

Eberle, R., F. Wunderlich, H.-P. Fuchs and H. Gross, How to make a fuel rod modelling code meet the requirements of design applications 101 (1987) 207
Elton, P.T. and K. Lassmann, Calculational methods for diffusional gas release 101 (1987) 259

Feldman, E.E., see Letho 101 (1987) 35
Feldman, E.E., see Mohr 101 (1987) 45
Feldman, E.E., D. Mohr, L.K. Chang, H.P. Planchon, E.M. Dean and P.R. Betten, EBR-II unprotected loss-of-heat-sink predictions and preliminary test results 101 (1987) 57
Fryer, R.M., see Messick 101 (1987) 13
Fryer, R.M., see Lehto 101 (1987) 35
Fuchs, H.-P., see Eberle 101 (1987) 207

Giuliani, S., see Schins 101 (1987) 127
Golden, G.H., H.P. Planchon, Jr., J.I. Sackett and R.M. Singer, Evolution of thermal-hydraulics testing in EBR-II 101 (1987) 3
Golden, G.H., see Planchon 101 (1987) 75
Gross, H., see Eberle 101 (1987) 207

Hall, R.O.A. and D.G. Martin, The evaluation of temperature jump distances and thermal accommodation coefficients from measurements of the thermal conductivity of UO_2 packed sphere beds 101 (1987) 249
Heck, M., see Ritzhaupt-Kleissl 101 (1987) 219
Huang, L.J. and P.S. Ayyaswamy, Heat transfer of a nuclear reactor containment spray drop 101 (1987) 137

Jackson, P.A., The effect of pellet wheatsheaf growth during power ramps on cladding stress concentration 101 (1987) 225

Koenig, J.F., see Lahm 101 (1987) 25
Koenig, J.F., see Lehto 101 (1987) 35
Koenig, J.F., see Chang 101 (1987) 67
Kondo, T., see Tamate 101 (1987) 93

Lahm, C.E., J.F. Koenig, P.R. Betten, J.H. Bottcher, W.K. Lehto and B.R. Seidel, EBR-II driver fuel qualification for loss-of-flow and loss-of-heat-sink tests without scram 101 (1987) 25
Lanning, D., see Shah 101 (1987) 233
Lassmann, K., see Elton 101 (1987) 259
Letho, W.K., see Lahm 101 (1987) 25
Letho, W.K., R.M. Fryer, E.M. Dean, J.F. Koenig, L.K. Chang, D. Mohr and E.E. Feldman, Safety analysis for the loss-of-flow and loss-of-heat sink without scram tests in EBR-II 101 (1987) 35
Lewis, H.W., Water level indication (Technical note) 101 (1987) 193
Lin, F.B., see Chern 101 (1987) 107

Marchertas, A.H., see Chern 101 (1987) 107
Martin, D.G., see Hall 101 (1987) 249
Matthews, J.R. and T. Preusser, On the failure of fast reactor fuel pins 101 (1987) 281
Messick, N.C., P.R. Betten, W.F. Booty, L.J.

Christensen, R.M. Fryer, D. Mohr, H.P. Planchon and W.H. Radtke, Modification of EBR-II plant to conduct loss-of-flow-without-scram-tests 101 (1987) 13
Meyer, W., see Rao 101 (1987) 167
Miller, R.J., see Cady 101 (1987) 175
Mohr, D., see Messick 101 (1987) 13
Mohr, D., see Letho 101 (1987) 35
Mohr, D., L.K. Chang, E.E. Feldman, P.R. Betten and H.P. Planchon, Loss-of-primary-flow-without-scram tests: Pretest predictions and preliminary results 101 (1987) 45
Mohr, D., see Feldman 101 (1987) 57

Nakajima, T. and H. Saito, A comparison between fission gas release data and FEMAXI-IV code calculations 101 (1987) 267

Peddicord, K.L. and C.V. De Vore, Current trends in fuel development and future needs in extended burnup 101 (1987) 199
Planchon, Jr., H.P., see Golden 101 (1987) 3
Planchon, H.P., see Messick 101 (1987) 13
Planchon, H.P., see Mohr 101 (1987) 45
Planchon, H.P., see Feldman 101 (1987) 57
Planchon, H.P., J.I. Sackett, G.H. Golden and R.H. Sevy, Implications of the EBR-II inherent safety demonstration test 101 (1987) 75
Porter, D.L., see Chang 101 (1987) 67
Preusser, T., see Matthews 101 (1987) 281

Radtke, W.H., see Messick 101 (1987) 13
Rao, T.V., R.W. Vook and W. Meyer, Characterization of 316 stainless steel surfaces used in BWR recirculation piping 101 (1987) 167
Rashid, Y.R., Transient failure of zircaloy cladding 101 (1987) 305
Ritzhaupt-Kleissl, H.-J. and M. Heck, Development and verification of the SATURN-FS fuel rod computer code 101 (1987) 219

Sackett, J.I., see Golden 101 (1987) 3
Sackett, J.I., see Planchon 101 (1987) 75
Saito, H., see Nakajima 101 (1987) 267
Schins, H. and S. Giuliani, Energy conversion in a gas shock tube: Theory and experiments 101 (1987) 127
Schmidt, F., see Unger 101 (1987) 323
Schützle, R. and H. Unger, A mathematical model for investigation of the rewetting of fuel rods 101 (1987) 315
Seidel, B.R., see Lahm 101 (1987) 25
Sekine, H., see Tamate 101 (1987) 93
Sevy, R.H., see Planchon 101 (1987) 75
Shah, V.N., J.E. Tolli and D. Lanning, A regression model for zircaloy cladding in-reactor creepdown: Database, development and assessment 101 (1987) 233
Singer, R.M., see Golden 101 (1987) 3
Šmíd, J. and J. Svoboda, A contribution to the 1-D modelling of fuel element mechanics 101 (1987) 183
Svoboda, J., see Šmíd 101 (1987) 183

Tamate, O., T. Kondo and H. Sekine, Thermal-stress intensity factors for an insulated crack in a semi-infinite medium with a thin conductive stiffener 101 (1987) 93
Till, C.E., Introduction to the Special Issue on The Experimental Breeder Reactor-II Inherent Safety Demonstration 101 (1987) 1
Tolli, J.E., see Shah 101 (1987) 233
Travis, J.R., A heat, mass, and momentum transport model for hydrogen diffusion flames in nuclear reactor containments 101 (1987) 149

Unger, H., see Schützle 101 (1987) 315
Unger, H., R. Bisanz and F. Schmidt, LWR behavior under severe core damage conditions 101 (1987) 323

Vook, R.W., see Rao 101 (1987) 167

Wickens. L.M., Molten fuel dispersal in hypothetical fast reactor accidents 101 (1987) 337
Wider, H.U., Fuel modelling in fast reactor whole core accident calculations 101 (1987) 363
Wunderlich, F., see Eberle 101 (1987) 207

Nuclear Engineering and Design 101 (1987) 381–383
North-Holland, Amsterdam

SUBJECT INDEX TO VOLUME 101

Thermal and fluid design

Evolution of thermal-hydraulics testing in EBR-II, G.H. Golden, H.P. Planchon, Jr., J.I. Sackett and R.M. Singer 101 (1987) 3
Modification of EBR-II plant to conduct loss-of-flow-without-scram tests, N.C. Messick, P.R. Betten, W.F. Booty, L.J. Christensen, R.M. Fryer, D. Mohr, H.P. Planchon and W.H. Radtke 101 (1987) 13
EBR-II driver fuel qualification for loss-of-flow and loss-of-heat-sink tests without scram, C.E. Lahm, J.F. Koenig, P.R. Betten, J.H. Bottcher, W.K. Lehto and B.R. Seidel 101 (1987) 25
Safety analysis for the loss-of-flow and loss-of-heat sink without scram tests in EBR-II, W.K. Lehto, R.M. Fryer, E.M. Dean, J.F. Koenig, L.K. Chang, D. Mohr and E.E. Feldman 101 (1987) 35
Loss-of-primary-flow-without-scram tests: Pretest predictions and preliminary results, D. Mohr, L.K. Chang, E.E. Feldman, P.R. Betten and H.P. Planchon 101 (1987) 45
EBR-II unprotected loss-of-heat-sink predictions and preliminary test results, E.E. Feldman, D. Mohr, L.K. Chang, H.P. Planchon, E.M. Dean and P.R. Betten 101 (1987) 57
A heat, mass and momentum transport model for hydrogen diffusion flames in nuclear reactor containments, J.R. Travis 101 (1987) 149
An application of response theory to steam venting during a loss of AC power transient, K.B. Cady and R.J. Miller 101 (1987) 175
Water level indication (Technical note), H.W. Lewis 101 (1987) 193
The evaluation of temperature jump distances and thermal accommodation coefficients from measurements of the thermal conductivity of UO_2 packed sphere beds, R.O.A. Hall and D.G. Martin 101 (1987) 249

Heat conduction and transfer

Heat transfer of a nuclear reactor containment spray drop, L.J. Huang and P.S. Ayyaswamy 101 (1987) 137

Fluid dynamics

Energy conversion in a gas shock tube: Theory and experiments, H. Schins and S. Giuliani 101 (1987) 127

Engineering mechanics

Thermal-stress intensity factors for an insulated crack in a semi-infinite medium with a thin conductive stiffener, O. Tamate, T. Kondo and H. Sekine 101 (1987) 93
Damage–plastic loading surface model for concrete, J.C. Chern, A.H. Marchertas, Z.P. Bazant and F.B. Lin 101 (1987) 107
A contribution to the 1-D modelling of fuel element mechanics, J. Šmíd and J. Svoboda 101 (1987) 183

Materials properties

Characterization of 316 stainless steel surfaces used in BWR recirculation piping, T.V. Rao, R.W. Vook and W. Meyer 101 (1987) 167
A contribution to the 1-D modelling of fuel element mechanics, J. Šmíd and J. Svoboda 101 (1987) 183

Reactor concepts and systems analysis

Evolution of thermal-hydraulics testing in EBR-II, G.H. Golden, H.P. Planchon, Jr., J.I. Sackett and R.M. Singer 101 (1987) 3
Modification of EBR-II plant to conduct loss-of-flow-without-scram tests, N.C. Messick, P.R. Betten, W.F. Booty, L.J. Christensen, R.M. Fyrer, D. Mohr, H.P. Planchon and W.H. Radtke 101 (1987) 13
EBR-II driver fuel qualification for loss-of-flow and loss-of-heat-sink tests without scram, C.E. Lahm, J.F. Koenig, P.R. Betten, J.H. Bottcher, W.K. Lehto and B.R. Seidel 101 (1987) 25
Safety analysis for the loss-of-flow and loss-of-heat sink without scram tests in EBR-II, W.K. Lehto, R.M. Fryer, E.M. Dean, J.F. Koenig, L.K. Chang, D. Mohr and E.E. Feldman 101 (1987) 35

Loss-of-primary-flow-without-scram tests: Pretest predictions and preliminary results, D. Mohr, L.K. Chang, E.E. Feldman, P.R. Betten and H.P. Planchon 101 (1987) 45
EBR-II unprotected loss-of-heat-sink predictions and preliminary test results, E.E. Feldman, D. Mohr, L.K. Chang, H.P. Planchon, E.M. Dean and P.R. Betten 101 (1987) 57
Whole-core damage analysis of EBR-II driver fuel elements following SHRT program, L.K. Chang, J.F. Koenig and D.L. Porter 101 (1987) 67
Implications of the EBR-II inherent safety demonstration test, H.P. Planchon, J.I. Sackett, G.H. Golden and R.H. Sevy 101 (1987) 75
Current trends in fuel development and future needs in extended burnup, K.L. Peddicord and C.V. De Vore 101 (1987) 199
How to make a fuel rod modelling code meet the requirements of design applications, R. Eberle, F. Wunderlich, H.-P. Fuchs and H. Gross 101 (1987) 207
A probabilistic analysis of PWR and BWR fuel rod performance using the code CASINO-SLEUTH, A.J. Bull 101 (1987) 213
Development and verification of the SATURN-FS fuel rod computer code, H.-J. Ritzhaupt-Kleissl and M. Heck 101 (1987) 219
The effect of pellet wheatsheaf growth during power ramps on cladding stress concentration, P.A. Jackson 101 (1987) 225
A regression model for zircaloy cladding in-reactor creepdown: Database, development and assessment, V.N. Shah, J.E. Tolli and D. Lanning 101 (1987) 233
On the failure of fast reactor fuel pins, J.R. Matthews and T. Preusser 101 (1987) 281
Transient failure of zircaloy cladding, Y.R. Rashid 101 (1987) 305
A mathematical model for investigation of the rewetting of fuel rods, R. Schützle and H. Unger 101 (1987) 315
LWR behavior under severe core damage conditions, H. Unger, R. Bisanz and F. Schmidt 101 (1987) 323
Molten fuel dispersal in hypothetical fast reactor accidents, L.M. Wickens 101 (1987) 337
Fuel modelling in fast reactor whole core accident calculations, H.U. Wider 101 (1987) 363

Core physics and fuel design

Current trends in fuel development and future needs in extended burnup, K.L. Peddicord and C.V. De Vore 101 (1987) 199
How to make a fuel rod modelling code meet the requirements of design applications, R. Eberle, F. Wunderlich, H.-P. Fuchs and H. Gross 101 (1987) 207
A probabilistic analysis of PWR and BWR fuel rod performance using the code CASINO-SLEUTH, A.J. Bull 101 (1987) 213
Development and verification of the SATURN-FS fuel rod computer code, H.-J. Ritzhaupt-Kleissl and M. Heck 101 (1987) 219
The effect of pellet wheatsheaf growth during power ramps on cladding stress concentration, P.A. Jackson 101 (1987) 225
A regression model for zircaloy cladding in-reactor creepdown: Database, development and assessment, V.N. Shah, J.E. Tolli and D. Lanning 101 (1987) 233
The evaluation of temperature jump distances and thermal accommodation coefficients from measurements of the thermal conductivity of UO_2 packed sphere beds, R.O.A. Hall and D.G. Martin 101 (1987) 249
Calculational methods for diffusional gas release, P.T. Elton and K. Lassmann 101 (1987) 259
A comparison between fission gas release data and FEMAXI-IV code calculations, T. Nakajima and H. Saito 101 (1987) 267
On the failure of fast reactor fuel pins, J.R. Matthews and T. Preusser 101 (1987) 281
Transient failure of zircaloy cladding, Y.R. Rashid 101 (1987) 305
A mathematical model for investigations of the rewetting of fuel rods, R. Schützle and H. Unger 101 (1987) 315
LWR behavior under severe core damage conditions, H. Unger, R. Bisanz and F. Schmidt 101 (1987) 323
Molten fuel dispersal in hypothetical fast reactor accidents, L.M. Wickens 101 (1987) 337
Fuel modelling in fast reactor whole core accident calculations, H.U. Wider 101 (1987) 363

Nuclear safety

Introduction to the Special Issue on The Experimental Breeder Reactor-II Inherent Safety Demonstration, C.E. Till, 101 (1987) 1
Evolution of thermal-hydraulics testing in EBR-II, G.H. Golden, H.P. Planchon, Jr., J.I. Sackett and R.M. Singer 101 (1987) 3
Modification of EBR-II plant to conduct loss-of-flow-without-scram tests, N.C. Messick, P.R. Betten, W.F. Booty, L.J. Christensen, R.M. Fryer, D. Mohr, H.P. Planchon and W.H. Radtke 101 (1987) 13
EBR-II driver fuel qualification for loss-of-flow and loss-of-heat-sink tests without scram, C.E. Lahm, J.F. Koenig, P.R. Betten, J.H. Bottcher, W.K. Lehto and B.R. Seidel 101 (1987) 25
Safety analysis for the loss-of-flow and loss-of-heat sink without scram tests in EBR-

II, W.K. Lehto, R.M. Fryer, E.M. Dean, J.F. Koenig, L.K. Chang, D. Mohr and E.E. Feldman 101 (1987) 35
Loss-of-primary-flow-without-scram tests: Pretest predictions and preliminary results, D. Mohr, L.K. Chang, E.E. Feldman, P.R. Betten and H.P. Planchon 101 (1987) 45
EBR-II unprotected loss-of-heat-sink predictions and preliminary test results, E.E. Feldman, D. Mohr, L.K. Chang, H.P. Planchon, E.M. Dean and P.R. Betten 101 (1987) 57
Whole-core damage analysis of EBR-II driver fuel elements following SHRT program, L.K. Chang, J.F. Koenig and D.L. Porter 101 (1987) 67
Implications of the EBR-II inherent safety demonstration test, H.P. Planchon, J.I. Sackett, G.H. Golden and R.H. Sevy 101 (1987) 75
Energy conversion in a gas shock tube: Theory and experiments, H. Schins and S. Giuliani 101 (1987) 127
Heat transfer of a nuclear reactor containment spray drop, L.J. Huang and P.S. Ayyaswamy 101 (1987) 137
A heat, mass, and momentum transport model for hydrogen diffusion flames in nuclear reactor containments, J.R. Travis 101 (1987) 149
An application of response theory to steam venting during a loss of AC power transient, K.B. Cady and R.J. Miller 101 (1987) 175
Water level indication (Technical note), H.W. Lewis 101 (1987) 193